

Wayne Disposal, Inc.
Part 111 - Ambient Air Monitoring
Monthly Sampling
November

			Air Monitors	82975-5	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.004	0.004	ug/M^3	<DL	0.004
Cadmium	0.000	#DIV/0!	ug/M^3	<DL	<DL
Chromium	0.004	0.004	ug/M^3	0.004	<DL
Total Suspended Particulate	23.187	14.161	ug/M^3	5.135	23.187
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL
Benzene	0.266	0.205	ug/M^3	0.144	0.266
Carbon Tetrachloride	0.502	0.407	ug/M^3	0.502	0.313
Chloroform	0.076	0.056	ug/M^3	0.035	0.076
Ethylbenzene	0.202	0.120	ug/M^3	0.038	0.202
Xylene	0.816	0.481	ug/M^3	0.146	0.816
Methylene Chloride	0.000	#DIV/0!	ug/M^3	<DL	<DL
Tetrachloroethene	0.122	0.078	ug/M^3	0.034	0.122
Toluene	1.176	0.947	ug/M^3	0.719	1.176
Trichloroethene	0.000	#DIV/0!	ug/M^3	<DL	<DL
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL

DL = Detection Limit

			Air Monitors	82981-6	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.005	0.005	ug/M^3	<DL	0.005
Cadmium	0.000	#DIV/0!	ug/M^3	<DL	<DL
Chromium	0.004	0.004	ug/M^3	0.004	<DL
Total Suspended Particulate	14.693	7.447	ug/M^3	0.200	14.693
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL
Benzene	0.663	0.430	ug/M^3	0.663	0.197
Carbon Tetrachloride	1.464	0.811	ug/M^3	1.464	0.158
Chloroform	0.270	0.270	ug/M^3	0.270	<DL
Ethylbenzene	0.055	0.055	ug/M^3	<DL	0.055
Xylene	0.195	0.153	ug/M^3	0.111	0.195
Methylene Chloride	0.256	0.256	ug/M^3	0.256	<DL
Tetrachloroethene	1.414	0.726	ug/M^3	0.039	1.414
Toluene	0.350	0.300	ug/M^3	0.249	0.350
Trichloroethene	0.000	#DIV/0!	ug/M^3	<DL	<DL
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL

DL = Detection Limit

			Air Monitors	82977-7	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.005	0.005	ug/M^3	<DL	0.005
Cadmium	0.006	0.006	ug/M^3	<DL	0.006
Chromium	0.003	0.003	ug/M^3	<DL	0.003
Total Suspended Particulate	23.529	12.535	ug/M^3	1.541	23.529
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	◊
Benzene	0.138	0.138	ug/M^3	0.138	◊
Carbon Tetrachloride	0.559	0.559	ug/M^3	0.559	◊
Chloroform	0.037	0.037	ug/M^3	0.037	◊
Ethylbenzene	0.036	0.036	ug/M^3	0.036	◊
Xylene	0.131	0.131	ug/M^3	0.131	◊
Methylene Chloride	0.000	#DIV/0!	ug/M^3	<DL	◊
Tetrachloroethene	0.081	0.081	ug/M^3	0.081	◊
Toluene	0.196	0.196	ug/M^3	0.196	◊
Trichloroethene	0.000	#DIV/0!	ug/M^3	<DL	◊
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	◊
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	◊

◊ Unsuccessful attempt in obtaining proper results in the laboratory due to unforeseen circumstances

DL = Detection Limit

			Air Monitors	82982-8	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.011	0.011	ug/M^3	<DL	0.011
Cadmium	0.014	0.014	ug/M^3	<DL	0.014
Chromium	0.009	0.006	ug/M^3	0.004	0.009
Total Suspended Particulate	27.244	13.760	ug/M^3	0.275	27.244
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL
Benzene	0.239	0.174	ug/M^3	0.109	0.239
Carbon Tetrachloride	0.529	0.464	ug/M^3	0.529	0.399
Chloroform	0.067	0.065	ug/M^3	0.063	0.067
Ethylbenzene	0.124	0.082	ug/M^3	0.041	0.124
Xylene	0.477	0.327	ug/M^3	0.177	0.477
Methylene Chloride	0.134	0.134	ug/M^3	<DL	0.134
Tetrachloroethene	0.072	0.056	ug/M^3	0.040	0.072
Toluene	0.564	0.368	ug/M^3	0.172	0.564
Trichloroethene	0.000	#DIV/0!	ug/M^3	<DL	<DL
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL

DL = Detection Limit

			Air Monitors	82983-9A	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.004	0.004	ug/M^3	<DL	0.004
Cadmium	0.000	#DIV/0!	ug/M^3	<DL	<DL
Chromium	0.003	0.003	ug/M^3	0.003	<DL
Total Suspended Particulate	12.822	12.822	ug/M^3	<DL	12.822
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL
Benzene	0.286	0.212	ug/M^3	0.139	0.286
Carbon Tetrachloride	0.539	0.316	ug/M^3	0.539	0.094
Chloroform	0.087	0.064	ug/M^3	0.040	0.087
Ethylbenzene	0.092	0.092	ug/M^3	<DL	0.092
Xylene	0.293	0.293	ug/M^3	<DL	0.293
Methylene Chloride	0.000	#DIV/0!	ug/M^3	<DL	<DL
Tetrachloroethene	0.065	0.065	ug/M^3	<DL	0.065
Toluene	0.548	0.350	ug/M^3	0.153	0.548
Trichloroethene	0.000	#DIV/0!	ug/M^3	<DL	<DL
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL

DL = Detection Limit

			Air Monitors	82983-9B	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.004	0.004	ug/M^3	<DL	0.004
Cadmium	0.000	#DIV/0!	ug/M^3	<DL	<DL
Chromium	0.000	#DIV/0!	ug/M^3	<DL	<DL
Total Suspended Particulate	12.680	6.367	ug/M^3	0.055	12.680
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL
Benzene	0.154	0.112	ug/M^3	0.070	0.154
Carbon Tetrachloride	0.320	0.281	ug/M^3	0.320	0.243
Chloroform	0.037	0.037	ug/M^3	0.037	<DL
Ethylbenzene	0.072	0.072	ug/M^3	<DL	0.072
Xylene	0.258	0.258	ug/M^3	<DL	0.258
Methylene Chloride	0.000	#DIV/0!	ug/M^3	<DL	<DL
Tetrachloroethene	0.069	0.069	ug/M^3	<DL	0.069
Toluene	0.396	0.264	ug/M^3	0.132	0.396
Trichloroethene	0.000	#DIV/0!	ug/M^3	<DL	<DL
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL

DL = Detection Limit

			Air Monitors	82984-10	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.000	#DIV/0!	ug/M^3	<DL	<DL
Cadmium	0.000	#DIV/0!	ug/M^3	<DL	<DL
Chromium	0.003	0.003	ug/M^3	0.003	<DL
Total Suspended Particulate	9.099	9.099	ug/M^3	<DL	9.099
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL
Benzene	0.187	0.158	ug/M^3	0.128	0.187
Carbon Tetrachloride	0.567	0.426	ug/M^3	0.567	0.284
Chloroform	0.080	0.064	ug/M^3	0.080	0.049
Ethylbenzene	0.064	0.059	ug/M^3	0.053	0.064
Xylene	0.242	0.225	ug/M^3	0.207	0.242
Methylene Chloride	0.098	0.098	ug/M^3	0.098	<DL
Tetrachloroethene	0.091	0.069	ug/M^3	0.047	0.091
Toluene	0.321	0.257	ug/M^3	0.193	0.321
Trichloroethene	0.000	#DIV/0!	ug/M^3	<DL	<DL
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL

DL = Detection Limit

			Air Monitors	82989-11	
			Sampling Date	11/19/2025	11/21/2025
Parameter	**Daily Maximum**	**Average Monthly**	**Units**		
Lead	0.003	0.003	ug/M^3	<DL	0.003
Cadmium	0.000	#DIV/0!	ug/M^3	<DL	<DL
Chromium	0.003	0.003	ug/M^3	0.003	<DL
Total Suspended Particulate	11.642	11.642	ug/M^3	<DL	11.642
1,1,1-Trichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL
Benzene	0.494	0.347	ug/M^3	0.200	0.494
Carbon Tetrachloride	0.466	0.304	ug/M^3	0.142	0.466
Chloroform	0.000	#DIV/0!	ug/M^3	<DL	<DL
Ethylbenzene	2.169	1.818	ug/M^3	1.467	2.169
Xylene	4.127	3.403	ug/M^3	2.679	4.127
Methylene Chloride	0.068	0.068	ug/M^3	<DL	0.068
Tetrachloroethene	0.517	0.508	ug/M^3	0.517	0.499
Toluene	0.405	0.314	ug/M^3	0.222	0.405
Trichloroethene	0.096	0.071	ug/M^3	0.046	0.096
Total PCB	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,4-Dichlorobenzene	0.000	#DIV/0!	ug/M^3	<DL	<DL
1,1-Dichloroethane	0.000	#DIV/0!	ug/M^3	<DL	<DL

DL = Detection Limit